

# Leadingtouch Touch Solution



Leadingtouch was founded in 2001, to design, develop, manufacture and market touch product.

- Touch Screen:  
Infrared (IR), Surface Acoustic Wave (SAW) Touch Screen
- Touch Bezel:  
Infrared (IR), Surface Acoustic Wave (SAW) Touch Bezel
- Touch Monitor:  
Open Frame, Rear Mount and Desktop

Leadingtouch products and technologies for diverse markets and applications, such as POS, Kiosks, ATM, Retail, Hospitality, Interactive Digital, Industrial, Medical, Gaming, Transportation, Custom...

Leadingtouch depends on excellent management to pass ISO9001 certification, relies on superior product, powerful technical team and R&D, strong production capacity to get FCC, CE certification, reach RoHS standard, leadingtouch product travels the world over by outstanding sales and service network.



## SAW Touch Screen

- Pure-glass 3mm-12mm SAW touch screen
- Superior image clarity and light transmission
- Work even if glass is scratched
- Type: Standard, Anti-Vandal, Dustproof, Waterproof & IP-Level
- Option: Clear, Anti-Glare, Anti-Reflect or Anti-Vandal glass
- Application to indoor or outdoor touch systems



## Infrared IR Touch Screen

- Infrared touch screen 5" to 150"
- Narrow frame design (only 19mm)
- Highest transparency and maintenance free
- Support Single-Touch or Multi-Touch (all model)
- Option: Without glass, Tempered Clear, Anti-Glare or Anti-Reflect
- Application to industrial, Kiosks, Digital Signage



## SAW Touch Bezel

- Plastic or metal touch frame, easy integration to a touch display
- Touch screen is sealed inside of frame
- Customized assembly holes designed
- Option: Clear, Anti-Glare, Anti-Reflect or Anti-Vandal glass
- Application as touch front frame of monitor



## IP65 Infrared IR Touch Bezel

- Plastic or metal touch frame, easy integration to a touch display
- Touch screen is sealed inside of frame
- Single-Touch or Multi-Touch, IP65 solution
- Customized assembly holes designed
- Option: Clear, Anti-Glare, Anti-Reflect or Anti-Vandal glass
- Application as touch front frame of monitor



## Desktop Touch Monitor

- 15"/17"/19"/22"
- Unrivaled plastic frame and steel touch stand
- Removable tilt desktop system
- On-screen display (OSD) Button Control
- Touch: SAW or IR(single-touch or multi-touch)
- USB, Serial or both touch interface
- FCC, CE, RoHS



## Open Frame (Rear Mount) Touch Monitor

- 12"/15"/17"/19"/22"/26"/32"/42"/46"/55"
- Slim profile, unique narrow border
- Rear-Mount or VESA mount
- On-screen display (OSD) Button or Remote Control
- Touch: SAW or IR(single-touch or multi-touch)
- USB, Serial or both touch interface
- FCC, CE, RoHS

# Leadingtouch Desktop Touch Monitor



Leadingtouch was founded in 2001, to design, develop, manufacture and market touch Product.

- Touch Screen:  
Infrared (IR), Surface Acoustic Wave (SAW) Touch Screen
- Touch Bezel:  
Infrared (IR), Surface Acoustic Wave (SAW) Touch Bezel
- Touch Monitor:  
Open Frame, Rear Mount and Desktop

Leadingtouch's desktop touch monitor are designed and manufactured with special consideration for space-saving, cost-effective touch solutions for system integrators, and value added resellers. Leadingtouch touch monitors are a representation of the reliable and quality solution from Leadingtouch and are developed with various touch solutions in mind.

The is completely and thoughtfully designed in-house. It is equipped with a sturdy stand and OSD, with the power controls located on the side, and it is an ideal choice for public use. The touchmonitors can be used as a desktop or a wall mounted unit and includes a 75x75mm or 100x100mm VESA mounting option.



15"/17"/19" Desktop Touch Monitor

- Unrivaled plastic frame and stable steel stand
- Removable tilt base desktop system
- Compatible ELO 1515L,1715L,1915L
- Touch: SAW,4/5 Wire Resistive/IR(single-touch or multitouch)
- USB,Serial or both touch interface
- Fcc,CE,Rohs



15"/17" Desktop Touch Monitor

- Unrivaled plastic frame and steel stand
- Removable tilt base desktop system
- Multilingual on-screen display(OSD)
- Touch: SAW or 4/5 Wire Resistive
- USB,Serial or both touch interface
- Fcc,CE,Rohs



19"/19"W/22" Desktop Touch Monitor

- Unrivaled plastic frame and stable steel stand
- Removable tilt base desktop system
- Multilingual on screen display(OSD)
- Touch: SAW or 4/5 Wire Resistive
- USB,Serial or both touch interface
- Fcc,CE,Rohs

# Leadingtouch Open Frame Touch Monitor



Leadingtouch was founded in 2001, to design, develop, manufacture and market touch Product.

- Touch Screen:  
Infrared (IR), Surface Acoustic Wave (SAW) Touch Screen
- Touch Bezel:  
Infrared (IR), Surface Acoustic Wave (SAW) Touch Bezel
- Touch Monitor:  
Open Frame, Rear Mount and Desktop

Leadingtouch open frame or rear-mount touch monitor are designed for easy integration into Kiosk, Gaming machine, Industrial enclosure and other installations where compact, touch-integrated display are preferred. This series touch monitor integrate the Leadingtouch's surface acoustic wave (SAW) or single-touch,multi-touch IR touch screen.It also features a unique dustproof or watertight sealing,marking it an ideal chiose for public and outdoor use.

Leadingtouch touch monitor are designed for space saving and easy mounting integrations. The open frame or rear-mount configuration along with optional side mounting brackets would enable you to easily customize into kiosks, cabinets, in-wall as well as other enclosure.



12"/15"/17"/19"/22"/26"  
Open Frame Touch Monitor

- Designed for touch kiosks application
- Removable wing bracket or VESA mount
- Multilingual and detachable or remote OSD
- Touch: SAW or IR Single-Touch,Multi-Touch
- USB,Serial or both touch interface
- Compatible ELO1247L/1549L Series
- Fcc,CE,Rohs



15"/17"/19"  
Rear-Mount Touch Monitor

- Slim profile with unique narrow border
- Removable wing bracket or VESA mount
- Multilingual and detachable or remote OSD
- Touch: SAW or IR Single-Touch,Multi-Touch
- USB,Serial or both touch interface
- Compatible ELO 1537L/1739L/1939L
- Fcc,CE,Rohs



22" Widescreen  
Rear-Mount Touch Monitor

- Slim profile with unique narrow border
- Rear-Mount VESA mounting option
- Removable wing bracket or VESA mount
- Multilingual and detachable or remote OSD
- Touch: SAW or IR Single-Touch,Multi-Touch
- USB,Serial or both touch interface
- Compatible ELO 2239L Series
- Fcc,CE,Rohs



26"/32"/42"/46"/55"/65"  
Open Frame Touch Monitor

- Fashionable housing design with slim bezel
- Multiple mounting option include:  
· Removable wing bracket or VESA mount
- Multilingual and detachable or remote OSD
- IP65 IR Single Touch or Multi-Touch
- USB,Serial or both touch interface
- Compatible ELO open frame series
- Fcc,CE,Rohs